



## Kerckhaert horse shoes non-racing (mm)

Size	Front-Length	Front-Width	Hind-Length	Hind-Width
000	116	120	118	113
00	122	127	125	122
0	128	135	130	128
1	135	140	137	135
2	142	146	143	140
3	146	155	150	147
4	155	162	157	155

## Kerckhaert- Race plates (mm)

Size	Front-Length	Front-Width	Hind-Length	Hind-Width
4-28	121	121	125	120
5-29	125	125	125	125
6-30	128	128	130	130
7-32	137	137	134	134
8-34	140	140	145	140

## Mustad - Steels & Aluminum FRONT (mm)

Size	Length	Width
0	132	134
1	138	140
2	144	146
3	150	152
4	157	159



### Grand Circuit- Aluminum (not Deniox) approx sizing conversion

GC Size	Approximate US Standard Shoe Size/Kerckhaert
4	000
5	00
6	0
7	1
8	2
9	3
10	4
11	
12	
13	
14	

### Soundhorse Sigafos/glue-on cuff shoe conversion

Shoe System							
Victory Elite (old)	XS	S	S+	M	M+	L	XL
Kerckhaert-Steel	00	0	0.5	1	1.5	2	3
Racing Plate	4/28	5/29	6/30	7/31	8/32	9/34	N/A
Grand Circuit	4	5	6	7	8	9	10



## Nanric Rocker Race (mm)

Size	Length	Width
000	89	87
00	99	97
0	111	108
1	121	116
2	127	122
3	130	127
4	137	133

## Nanric Drop Forge Full Rocker Aluminum (mm)

Size	Length	Width
1cc	116	114
2cc	126	122
3cc	133	129
4cc	137	137
4sc	143	138
5cc	151	145

## Nanric Rail (mm)

Size	Length	Width
1	127	109
2	130	116
3	133	121
4	140	127
5	152	137
6	159	143
7	178	152



## Nanric Bar Rail (mm)

Size	Length	Width
2	127	116
3	133	121
4	140	127
5	159	137

## Nanric T-Rail (mm)

Size	Length	Width
2	149	116
3	152	121
4	168	127
5	175	137